









| Category | Item # | Picture | Description | Availability | Price |
|----------------------|---------|---------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|------------------------|
| N300 Wi-Fi Routers | N301 | | Wireless N300 Easy Setup Router 2x5dbi fixed antennas, 1x10/100Mbps WAN Port, 3x10/100Mbps LAN ports; 2.4GHZ, DHCP, PPPoE, Static IP, PPTP, L2TP, WPS, WISP, Universal Repeater; | موجود | 5,640,000 |
| | F3v3.0 | | Wireless N300 Easy Setup Router 3x10/100Mbps LAN Ports, 3x5dbi Fixed Antennas, 2.4GHz, Static IP, DHCP, PPPoE, PPTP, L2TP; Port Bandwidth Control, Port Mapping, Operating Modes: Wireless Router Mode ,Universal Repeater Mode ,WISP Mode ,AP Mode | موجود | 7,110,000 |
| | F6 v4.0 | | Wireless N300 Easy Setup Router 300Mbps,4X5dbi fixed Antennas,1X100Mbps WAN, 3x100Mbps LAN, WiFi On/Off Switch,powerful wall-penetrating ability,4xrange, WISP, Universal Repeater,100mw Highpower | موجود | 9,060,000 |
| AC1200 Wi-Fi Routers | AC5 | | AC1200 Smart Dual-Band WiFi Router MU-MIMO,1Ghz CPU, 4X5dbi Antennas, 1X100Mbps WAN, 3x100Mbps LAN,WiFi On/Off Switch, Universal Repeater | موجود | 7,940,000 |
| | AC6 | | AC1200 Smart Dual-Band WiFi Router 28nm 1Ghz CPU, MU-MIMO,4X5dbi Antennas, 1X100Mbps WAN, 3x100Mbps LAN,WiFi On/Off Switch, Universal Repeater, 100mw Highpower | نا موجود | برای سفارش تماس بگیرید |
| | AC8 | | AC1200 Dual-band Gigabit Wireless Router 4 Gigabit ports, 802.11ac wave2 standard,MU-MIMO, Dual-Band AC Router, Up to 867Mbps WiFi speed on 5 GHz and 300Mbps on 2.4GHz , WiFi Schedule, Power-saving support | موجود | 14,550,000 |
| | AC10 | | AC1200 Dual Band Gigabit WiFi Router 4x Gigabit ports, 802.11ac wave2 standard,MU-MIMO, Dual-Band AC Router, Up to 867Mbps WiFi speed on 5 GHz and 300Mbps on 2.4GHz , VPN server support, WiFi Schedule, Power-saving support | موجود | 14,550,000 |
| | AC11 | | AC1200 Dual Band Gigabit WiFi Router 4x Gigabit ports, 802.11ac wave2 standard,MU-MIMO, Dual-Band AC Router, Up to 867Mbps WiFi speed on 5 GHz and 300Mbps on 2.4GHz , VPN server support, WiFi Schedule, Power-saving support | موجود | 19,830,000 |
| | AC19 | | AC2100 Dual Band Gigabit WiFi Router 8MB Flash, 64MB DDR2, 3x GE LAN Ports, 1x GE WAN Port, 802.11ac standard, Dual-Band AC Router, Up to 1733Mbps WiFi speed on 5 GHz and 300Mbps on 2.4GHz , Gigabit wired connections, VPN server support, WiFi Schedule, Power-saving support | موجود | 28,510,000 |
| | AC21 | | AC2100 Dual-Band Gigabit Wireless Router 8MB Flash, 64MB DDR2, 3x GE LAN Ports, 1x GE WAN Port, 802.11ac standard, Dual-Band AC Router, Up to 1733Mbps WiFi speed on 5 GHz and 300Mbps on 2.4GHz , Gigabit wired connections, VPN server support, WiFi Schedule, Power-saving support | موجود | 24,860,000 |














| Category | Item # | Picture | Description | Availability | Price |
|------------------------------|------------|---------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|------------|
| | AC23 | | AC2100 Dual Band Gigabit WiFi Router 8MB Flash, 64MB DDR2, 3 LAN GE Ports, 1 WAN GE Port, 802.11ac standard, Dual-Band AC Router, Up to 1733Mbps WiFi speed on 5 GHz and 300Mbps on 2.4GHz, Gigabit wired connections, VPN server support, WiFi Schedule, Power-saving support | موجود | 23,550,000 |
| AX Wi-Fi Routers | TX2 Pro | | AX1500 Dual Band Gigabit Wi-Fi 6 Router Broadcom Qual-core chip, 3xGE LAN Ports, 1xGE WAN Ports, 802.11ax standard, Dual-Band AC Router, Up to 1200Mbps WiFi speed on 5 GHz and 300Mbps on 2.4GHz, Gigabit wired connections, VPN server support, WiFi Schedule, Power-saving support, OFDMA support, TWT support | موجود | 22,480,000 |
| | TX9 | | AX3000 WiFi6 Router Maxlinear Dual-core chip, 3 LAN GE Ports, 1 WAN GE Port, 802.11ax standard, Dual-Band AC Router, Up to 2402Mbps WiFi speed on 5 GHz and 574Mbps on 2.4GHz, Gigabit wired connections, WiFi Schedule, Power-saving support, OFDMA support, TWT support | موجود | 33,000,000 |
| | TX9 Pro | | AX3000 WiFi6 Router Intel Qual-core chip, 3 LAN GE Ports, 1 WAN GE Port, 802.11ax standard, Dual-Band AC Router, Up to 2402Mbps WiFi speed on 5 GHz and 574Mbps on 2.4GHz, Gigabit wired connections, VPN server support, WiFi Schedule, Power-saving support, OFDMA support, TWT support | موجود | 38,100,000 |
| N300 ADSL2/VDSL Modem Router | D301 V4 | | Wireless N300 ADSL2+ Modem Router ADSL 2/2+ Modem, WiFi Router, 4x 10/100Mbps switch in a single device; wireless transfer rates of up to 300 Mbps; WPA/WPA2 security | موجود | 8,760,000 |
| | D301 V2.0 | | Wireless N300 ADSL2+ Modem Router ADSL 2/2+ Modem, WiFi Router, 4x 10/100Mbps switch in a single device; 1 x USB2.0 SAMBA, wireless transfer rates of up to 300 Mbps; WPA/WPA2 security | موجود | 9,070,000 |
| | V300v3.0 | | Wireless N300 VDSL2 Wireless Modem Router 2 x 5dBi Fixed External Antennas; Multi Connection Types, Supports Phone & Ethernet Cable service; 3G/4G Dongle Backup, 1 x RJ11 DSL Port, 4x 10/100Mbps LAN Ports, 1 x USB2.0, UP to 6000V lightning protection, Supports IPTV, FTP, Samba, DLNA, QoS, TR069, SNMP, DDNS, Virtual server etc | موجود | 12,450,000 |
| AC1200 VDSL Modem Router | V12 | | AC1200 Dualband Wi-Fi Gigabit VDSL/ADSL Modem Router 4x 5dBi Fixed External Antennas, Profile 35b, 300Mbps, 1x RJ11 DSL Port, 3x 10/100Mbps LAN Ports, 1x 100/1000Mbps LAN/WAN Port, UP to 6000V lightning protection, Supports IPTV, TR069, SNMP, DDNS, Virtual server etc. | موجود | 27,170,000 |
| | 4G180 V3.0 | | 150Mbps High Speed Mobile Wi-Fi Hotspot FDD LTE Advance-based, Downward Compatibility with FDD LTE, TDD LTE, WCDMA, GSM mobile network, Uplink 50Mbps, Downlink 150 Mbps; Built-in Battery, Up to 6 hours; 4 LED indicators; CAT4; Compatible with main worldwide mobile network operator; Good for 10 users simultaneously Android/iOS APP for management | موجود | 21,030,000 |

| Category | Item # | Picture | Description | Availability | Price |
|---------------------------|------------|---------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|------------------------|
| 3G & 4G/LTE MIFI & Router | 4G185 V3.0 | | 150Mbps High Speed Mobile Wi-Fi Hotspot; FDD LTE Advance-based, Downward Compatibility with FDD LTE, TDD LTE, WCDMA, GSM mobile network, Uplink 50Mbps, Downlink 150 Mbps; Built-in Battery, Up to 6 hours; 1.44 inches display; CAT4; Compatible with main worldwide mobile network operator; Good for 10 users simultaneously; Android/iOS APP for management | EOL | برای سفارش تماس بگردید |
| | 4G03 | | N300 Wi-Fi 4G LTE Router LTE CAT4 , FDD LTE, TDD-LTE, WCDMA, Max 4G Speed DL:150Mbps, UL:50Mbps , Wi-Fi speed 2.4GHz:300Mbps, 1x 10/100 Mbps LAN/WAN Port, 1x 10/100Mbps LAN Port 1x 2FF SIM Card Slot, 2 Internal 4G/3G Antennas, 2 Internal Wi-Fi Antennas, Wi-Fi up to 32 devices, TR069 | اتمام موجودی :ETA تیر | |
| | 4G06c | | N300 Wi-Fi 4G LTE Router LTE CAT4 , FDD LTE, TDD-LTE, WCDMA, Max 4G Speed DL:150Mbps, UL:50Mbps , Wi-Fi speed 2.4GHz:300Mbps, 1x 10/100 Mbps LAN/WAN Port, 1x 10/100Mbps LAN Port, 1x 2FF SIM Card Slot, 2 detachable 4G/3G/2G Antennas , 2 Internal Wi-Fi Antennas, High Quality Voice service, Wi-Fi up to 32 devices, TR069 | ETA: خرداد | |
| | 4G06 | | N300 Wi-Fi 4G VoLTE Router LTE CAT4 , FDD LTE, TDD-LTE, WCDMA, Max 4G Speed DL:150Mbps, UL:50Mbps , Wi-Fi speed 2.4GHz:300Mbps, 1x 10/100 Mbps LAN/WAN Port, 1x 10/100Mbps LAN Port, 1*Tel Port, 1x 2FF SIM Card Slot, 2 detachable 4G/3G/2G Antennas, 2 Internal Wi-Fi Antennas, High Quality Voice service, Wi-Fi up to 32 devices, TR069 | موجود | 31,040,000 |
| | 4G07 | | AC1200 Dual-band Wi-Fi 4G LTE Router LTE CAT.4 FDD LTE, TDD-LTE, WCDMA, GSM, DL:150Mbps UL:50Mbps, 2.4GHz:300Mbps 5.8GHz:867Mbps, 1x 10/100/1000 Mbps LAN/WAN Port 1x 10/100/1000 Mbps LAN Port 1x 2FF SIM Card Slot, 2 detachable 4G/3G/2G Antennas 2 Internal Wi-Fi Antennas | اتمام موجودی :ETA تیر | |
| | 4G09 | | AC1200 Dual-band Wi-Fi 4G+ LTE Router 4G Category: LTE CAT.6 4G/3G standards: FDD LTE, TDD-LTE, WCDMA Max 4G speed: DL:300Mbps, UL:50Mbps Wi-Fi standards: 802.11b/g/n/ac Wi-Fi frequency: 2.4GHz/5.8GHz Wi-Fi speed: 2.4GHz:300Mbps, 5.8GHz:867Mbps Interfaces: 1x 10/100/1000 Mbps LAN/WAN Port 1x 10/100/1000 Mbps LAN Port 1x 2FF SIM Card Slot 2 detachable 4G/3G Antennas 2 Internal Wi-Fi Antennas | موجود | 60,460,000 |
| Desktop AP | AP4V2.0 | | 300Mbps Desktop Access Point 2.4GHz 300Mbps 1x FE PoE/LAN port 1x FE LAN Port 2x 5dbi omni-directional antenna 1 Button to boost Wi-Fi Range Maximum Transmit Power 100mw(20dbm) PoE Power supported with included PoE Injector Operating Modes: AP/Universal Repeater/Station/WISP/Client+AP Centralized Managed by M3 | موجود | 10,290,000 |

| Category | Item # | Picture | Description | Availability | Price |
|----------------------|---------|-------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------|---------------------|
| Desktop AP | AP5V2.0 |  | 300Mbps Desktop Access Point 2.4GHz 300Mbps 1*FE PoE/LAN port 1*FE LAN Port 3*5dbi omni-directional antenna 1 Button to boost Wi-Fi Range Maximum Transmit Power 100mw(20dbm) PoE Power supported with included PoE Injector Operating Modes: AP/Universal Repeater/Station/WISP/Client+AP operating mode Centralized Managed by M3 | موجود | 12,420,000 |
| Ceiling AP | I24 |  | Indoor Ceiling access point 2.4GHz 300Mbps & 5GHz 867Mbps 1*GE PoE Port SSID to VLAN tagging Maximum Transmit Power 23dbm compliant with IEEE 802.3af AP/WDS/Universal Repeater 64/128bit WEP,WPA-PSK,WPA2-PSK,WPA&WPA2-PSK,WPA,WPA2 Centralized Managed by M3 | موجود | 24,830,000 |
| | I9 |  | Indoor Ceiling Access Point 2.4GHz 300Mbps 1*FE Port SSID to VLAN tagging Maximum Transmit Power 100mw(23dbm) compliant with IEEE 802.3af AP/WDS/Universal Repeater 64/128bit WEP,WPA-PSK,WPA2-PSK,WPA&WPA2-PSK,WPA,WPA2 Centralized Managed by M3 | اتمام موجودی EOL | اتمام موجودی EOL |
| In-Wall Access Point | w12 |  | 86*86mm Wall plate access point 2.4GHz 300Mbps, 5G 867Mbps 2*GE LAN ports Maximum Transmit Power 18dbm Compliant with IEEE 802.3af SSID to VLAN tagging 64/128bit WEP,WPA-PSK,WPA2-PSK,WPA&WPA2-PSK,WPA,WPA2 Centralized Managed by M3 | موجود | 18,820,000 |
| N300 USB Adapters | U1 V2.0 |  | 300Mbps High Gain Wireless N USB Adapter 2T2R, 2.4GHz, 802.11n/g/b, 1x 3.5dbi detachable antenna. Compatibilities:Windows xp/Vista/7/8/8.1/10,MAC OS 10.4~10.10,Linux | موجود | 5,030,000 |
| | U3 |  | 300Mbps Mini Wireless N USB Adapter 2T2R, 2.4GHz, 802.11n/g/b, Internal PIFA Antenna. SoftAP,Compatibilities:Windows xp/7/8/8.1/10,MAC OS 10.4~10.10,Linux | موجود | 4,000,000 |
| N150 USB Adapters | W311M |  | 150Mbps Nano USB Adapter Auto-Install Plug-and-Play, Internal Antenna,WPS button, Cmpatible with Windows 11/10/8.1/8/7/XP | موجود | 1,800,000 |
| | W311MA |  | 150Mbps High-Gain USB Adapter Auto-Install Plug-and-Play, High-gain Omni-Directional antenna, Cmpatible with Windows 11/10/8.1/8/7/XP | موجود | 3,040,000 |

| Category | Item # | Picture | Description | Availability | Price |
|-----------------------------|--------|---------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|------------|
| | W311MI | | 150Mbps Pico USB Adapter Auto-Install Plug-and-Play, Internal Antenna,Ultra Compact Design Cmpatible with Windows 11/10/8.1/8/7/XP | موجود | 2,630,000 |
| | U2v4.0 | | N150 High Gain Wireless USB Adapter 150Mbps,Plug-and-Play, 6dBi external Antenna, Cmpatible with Windows 10/8.1/8/7/XP | موجود | 3,730,000 |
| AC650 Dual-band USB Adapter | U9 | | AC650 Wireless Dual Band USB Adapter Auto-Install 650Mbps (433(5GHz)+200(2.4GHz)) wireless speed with 802.11ac; Supports MU-MIMO;Compatible with Windows 10/8.1/8/7/XP | موجود | 5,830,000 |
| | U10 | | AC650 Wireless Dual Band USB Adapter Auto-Install 650Mbps (433(5GHz)+200(2.4GHz)) wireless speed with 802.11ac; 1T21,1*6dBi external Antenna; Supports MU-MIMO; Compatible with Windows 10/8.1/8/7/XP | موجود | 6,710,000 |
| AC650 Dual-band USB Adapter | U18 | | AX1800 Wi-Fi 6 Dual-band USB Wireless Adapter 2.4GHz: 574Mbps, 5GHz: 1201Mbps, USB3.0 interface, built-in wireless driver, Wi-Fi security standard WPA3, Support Windows 10 operating system, compatible with IEEE 802.11ax/ac/a/n/g/b. | موجود | 14,550,000 |
| | U18A | | AX1800 Wi-Fi 6 Dual-band USB Wireless Adapter 2* 5dBi external antenna, 2.4GHz: 574Mbps, 5GHz: 1201Mbps, USB3.0 interface, built-in wireless driver, Wi-Fi security standard WPA3, Support Windows 10 operating system, compatible with IEEE 802.11ax/ac/a/n/g/b. | موجود | 16,670,000 |
| PCIe Adapters | W322E | | N300 Wireless PCI Express Adapter Wireless-N technology delivers speeds of up to 300Mbps Adopts PCI Express 2.0 1x interface, perfectly fits into any standard PCI Express slot x2, x4, x8, x16 or x32 | موجود | 5,440,000 |
| | E12 | | AC1200 Wireless PCI Express Adapter 2.4GHz 300Mbps, 5GHz 867Mbps, 2x 5dBi detachable antenna, Support Windows10 | موجود | 11,250,000 |

| Category | Item # | Picture | Description | Availability | Price |
|-----------------------------|-------------------|---------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|------------|
| | E30 | | AX3000 Wi-Fi 6 Bluetooth 5.0 PCIe Adapter WiFi6 PCI-E Adapter, 2.4GHz 574Mbps, 5GHz 2402Mbps, 2*5dBi detachable antenna, Support Bluetooth5.0 | موجود | 16,670,000 |
| N300 Range Extender | A9V1.0 | | N300 Wireless Wall Plugged Range Extender 2T2R, 2.4GHz, 802.11n/g/b, Range Extender button, Range extender mode, with internal Antennas | موجود | 7,410,000 |
| Nova Wi-Fi Mesh | Nova MW3 (3-Pack) | | AC1200 Whole-home Mesh WiFi System; with 2 fast ethernet RJ45 ports per node. support 2.4GHz and 5GHz concurrent. Pre-paired installation.Plug and play, simple setup within minutes; True-Mesh and Smart Auto-path Selection Technology to ensure a robust wireless network;Much better seamless Wi-Fi all around your home with the support of 802.11v, 802.11r. Smart QoS brings smooth online gaming, streaming and downloading simultaneously. | موجود | 60,690,000 |
| Beli Smart Power Strip | SP6 (EU) | | Beli Smart Wi-Fi Plug Manage your Smart-Home at any time from anywhere APP Management from Any Location Easy and Efficient Smart-Home Management Prevent Long-term Operating, Protect Devices Protocols IEEE 802.12b/g/n Wireless Type 2.4GHz,1T1R System Requirements Android 4.4 or higher, iOS 9.0 or higher | موجود | 7,220,000 |
| | SP15 (UK) | | Smart Wi-Fi Power Strip Independently control 3 smart outlets and charge 2 devices with built-in USB ports : Surge Protection;Remote Access; control all of your Smart devices with any Alexa, Google Assistant; with a secured 2.5GHz wireless network : Set schedules ; | موجود | 14,030,000 |
| Wireless Powerline Extender | PH5 | | AV1000 2-Port Gigabit Wi-Fi Powerline Extender Kit Wi-Fi Clone easy set Wi-Fi 3*Gigabit Lan Port AV1000 Starter Kit includes 1 x P3:AV1000 Gigabit Powerline Adapter 1 x PA6:AV1000 2-Port Gigabit Wi-Fi Powerline Extender | موجود | 43,110,000 |
| | PW201A | | Powerline Wireless N300 Extender uses the existing electrical wiring at your home to create a wireless network. 1 x 10/100 Mbps RJ45 Internal antenna 1 x WPS/Reset, 1 x Pair Frequency Powerline: 2-28MHz Wireless: 2.4GHz | EOL | EOL |

| Category | Item # | Picture | Description | Availability | Price |
|-------------------------------------------------------|---------------|-------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|------------|
| Desktop Ethernet Switch | TEM2010F |  | 8-Port 2.5G Ethernet Switch with 2*2.5G SFP slots Compliant with IEEE 802.3, IEEE 802.3u, IEEE 802.3ab, IEEE 802.3x, IEEE 802.3bz, IEEE 802.3cb, 8*100/1000/2500 Mbps Base-TX Ethernet ports, 2*100/1000/2500 Mbps Base-X SFP ports , 16 K MAC address table and MAC address auto learning, IEEE 802.3x full duplex flow control and half duplex backpressure flow control, 50 Gbps switching fabric for non-blocking wire speed forwarding, 6 kV Lightning Protection, Three-mode toggle: Standard, VLAN, Static Aggregation, Desktop mounting & Wall mounting | موجود | 50,290,000 |
| | S16 |  | 16-port 10/100Mbps Ethernet Desktop Switch 16x 10/100M RJ45 ports, Plastic case | موجود | 11,090,000 |
| | S105 |  | 5-port 10/100Mbps Fast Ethernet Desktop Switch 5x 10/100M RJ45 ports, Plastic case,DC 5V0.6A | موجود | 2,990,000 |
| | S108 |  | 8-port 10/100Mbps Fast Ethernet Desktop Switch 8x 10/100M RJ45 ports, Plastic case,DC 5V0.6A | موجود | 3,530,000 |
| Desktop Gigabit Switch | SG105 |  | 5-port Gigabit Ethernet Desktop Switch 5x 10/100/1000M RJ45 ports, Plastic case | موجود | 6,190,000 |
| | SG108 |  | 8-port Gigabit Ethernet Desktop Switch 8 10/100/1000M RJ45 ports, Plastic case | موجود | 8,600,000 |
| Fast/Gigabit Ethernet Unmanaged Rack mountable Switch | TEF1005D |  | 5-port 10/100M Ethernet Desktop Switch 5x 10/100M RJ45 ports Desktop & Wall-mounting Design, steel case | موجود | 4,590,000 |
| | TEG1005D |  | 5-port 10/100M Ethernet Desktop Switch 5x 10/100M/1000M RJ45 ports All ports forward packets at full wired speed Desktop & Wall-mounting Design, steel case 6KV lightning protection | موجود | 7,120,000 |
| | TEF1016D |  | 16-port 10/100M Ethernet Desktop Switch 16x 10/100M RJ45 ports, 1U 13-inch rack-mountable steel case, Inductive lightning protection on its power can be 6KV. | موجود | 14,950,000 |
| | TEG1016D |  | 16-port Gigabit Ethernet Desktop/Rackmount Switch 16x 10/100/1000M RJ45 ports,1U 13-inch rack-mountable steel case, Built-in Marvell chip ,6KV lightning protection for all ports ,6KV lightning protection for Power supply | موجود | 28,300,000 |
| | TEF1109D |  | 9-Port 10/100M Ethernet Desktop Switch 9-port 10/100M Switch, 9 10/100M RJ45 ports,up to 250 meter transmission distance, Lightning Protection Up to 6kV for uplink, Desktop & Wall-mounting Design, steel case | موجود | 4,990,000 |
| | TEG1016G V8.0 |  | 16-port Gigabit Ethernet Rackmount Switch 16x 10/100/1000M RJ45 ports,1U 19-inch rack-mountable steel case, Built-in Marvell chip ,6KV lightning protection for all ports ,6KV lightning protection for Power supply | موجود | 32,650,000 |
| | TEG1024D |  | 24-port Gigabit Ethernet Desktop/Rackmount Switch 24x 10/100/1000M RJ45 ports,1U 13-inch rack-mountable steel case, Built-in Marvell chip ,6KV lightning protection for all ports ,6KV lightning protection for Power supply | موجود | 38,800,000 |

| Category | Item # | Picture | Description | Availability | Price |
|----------------------------------------------------|------------------|---------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|-------------------------------------------|
| | TEG1024G V9.0 | | 24-port Gigabit Ethernet Rackmount Switch New 24-port Gigabit Rackmount Switch, 24 10/100/1000M RJ45 ports, 1U 19-inch rack-mountable steel case, Built-in Marvell chip ,6KV lightning protection for all ports ,6KV lightning protection for power supply | موجود | 41,400,000 <i>SPECIAL OFFER</i> |
| | TEG1024F | | 26-port Gigabit Ethernet Desktop Switch 24x 10/100/1000M RJ45 ports+2 1000M SFP ports, 1U 19-inch rack-mountable steel case, Built-in Marvell chip ,6KV lightning protection for all ports ,6KV lightning protection for Power supply , 4 modes : M1 Flow control off, M2 Standard, M3 Link aggregation, M4 Port vlan | موجود | 44,370,000 |
| | TEG1050F | | 48-port Gigabit Rackmount Switch 48x 10/100/1000M RJ45 ports+2x 1000M SFP ports, 1U 19-inch rack-mountable steel case, 6KV lightning protection for all ports ,6KV lightning protection for Power supply , support One-key VLAN | موجود | 113,800,000 |
| GE/FE Unmanaged Rack mountable POE Ethernet Switch | TEG1105P-4-63W | | 5-Port Gigabit Desktop Switch with 4-Port PoE EEE802.3af/at, PoE budget: 58W Desktop, steel case | موجود | 17,800,000 |
| | TEG1109P-8-102W | | 9-Port Gigabit Desktop Switch with 8-Port PoE Ports 1-8 support IEEE 802.3af/at PoE standard, up to 30W power output per PoE port and total 92W for all ports, Lightning Protection Up to 6kV for uplink port, Desktop & Wall-mounting Design, steel case | موجود | 35,810,000 |
| | TEG1110PF-8-102W | | 9GE+1SFP Ethernet Switch With 8-Port PoE maximum PoE output of a single port is 30 W and the total power consumption of the switch is 102W 8 x 10/100/1000 Mbps Base-T Ethernet ports (Data/Power) 1 x 10/100/1000 Mbps Base-T Ethernet port (Data) 1 x 100/1000 Mbps Base-X SFP port | موجود | 39,620,000 |
| | TEG1118P-16-250W | | 16-Port GE+2SFP Port Switch with 16-Port PoE; *IEEE802.3af/at, PoE budget: 230W 1-16ports support IEEE802.3af /IEEE802.3at Maximum PoE Output Power: 135W, 1U 13-inch rack-mountable steel case, Built-in Marvell chip ,6KV lightning protection for all ports, 6KV lightning protection for Power supply , 4 Modes, M1 Standard, M2 CCTT M3 VLAN M4 Isolation" | موجود | 82,290,000 |
| | TEG1126P-24-410W | | 24GE+2SFP Ethernet Switch With 24-Port PoE 24x 10/100/1000 Mbps Base-T ports(Data/Power) 2x 1000 Mbps Base-X SFP slots. Lightning protection for ports: 6kV PoE budget Single port: AF: 15.4W, AT: 30W Whole device: 370W | موجود | 114,290,000 |
| | TEF1106P-4-63W | | 6-Port 10/100Mbps Desktop Switch with 4-Port PoE IEEE802.3af/at, PoE budget: 58W 6KV Lightning Protection(uplink port), Desktop, steel case | اتمام موجودی :ETA تیر | IPCOM F1106P-4-63W |
| | TEF1109P-8-63W | | 9-Port 10/100Mbps Desktop Switch with 8-Port PoE Ports 1-8 support IEEE 802.3af/at PoE standard up to 30W power output per PoE port and total 58W for all, up to 250 meter transmission distance, 6KV lightning protection, Desktop & Wall-mounting Design, steel case | اتمام موجودی :ETA تیر | |

| Category | Item # | Picture | Description | Availability | Price |
|--------------|-----------------------|---------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------|-------------------------|
| | TEF1109P-8-102W | | 9-Port Fast Unmanaged Switch With 8-Port PoE 8x 10/100Base-T ports(Data/Power) 1x10/100Base-T ports(Data) Port 1-8 support IEEE802.3af/at PoE standard 6kV lightning Protection, port VLAN mode Transmission Distance up to 250m Large Packet Buffer | موجود | 27,250,000 |
| | TEF1110P-8-63W | | 10-Port 10/100Mbps Desktop Switch with 8-Port PoE Ports 1-8 support IEEE 802.3af/at PoE standard up to 30W power output per PoE port and total 58W for all up to 250 meter transmission distance 6KV lightning protection(uplink port) Desktop & Wall-mounting Design, steel case | موجود | 21,840,000 |
| | TEF1110P-8-102W | | 8-Port 10/100Mbps + 2 Gigabit Desktop with 8 PoE Switch Ports 1-8 support IEEE 802.3af/at PoE standard up to 30W power output per PoE port and total 99W for all support port VLAN isolation up to 250 meter transmission distance 6KV lightning protection Desktop & Wall-mounting Design, steel case | موجود | 32,800,000 |
| | TEF1118P-16-150W V3.0 | | 16-Ports FE ports + 1GE+1 GE/SFP port Unmanaged PoE+ switch 16-PoE Ports *IEEE802.3af/at. PoE budget: 130W 1U 13-inch rack-mountable metal housing | اتمام موجودی :ETA تیر | IPCOM F1118P-16-150W |
| | TEF1126P-24-250W V2.0 | | 24-Ports FE ports + 1 GE +1GE/SFP port unmanaged PoE+ switch 24-PoE Ports IEEE802.3af/at. PoE budget: 230W 1U19-inch rack-mountable metal housing; | موجود | 89,000,000 |
| PoE Injector | PoE15F | | PoE Injectors 15W Compatible With IEEE 802.3af Compliant PDS, plastic case; 2x 10/100bps RJ45 Port; Power Supply 15W Max(48V DC) | موجود | 5,720,000 |
| | PoE30G-AT | | PoE Injectors 30W IEEE802.3at compatible; 2 10/100/1000Mbps RJ45 Port; 100M PoE extension | موجود | 10,460,000 |

گروه محصولات xDSL شامل 1+3 سال گارانتی و سایر محصولات شامل 1+2 سال گارانتی شرکت آسان پیشرو (N.A.P Co) می باشد